

	SECTION O - COLOMBES ET PIGEONS EXOTIQUES P.E.(BAGUES 1 ET/OU 2 ANS) EXOTIC DOVES AND PIGEONS (1/2 YEARS RINGED) Mise à jour Juillet 2025 - updated in July 2025			
Stam 4 Stam of 4	Section O COLOMBES ET PIGEONS EXOTIQUES EXOTIC DOVES AND PIGEONS		Individ. Single	
	<u>Le nom latin est indispensable.</u> Les oiseaux frisés-plumes de soie ne sont pas admis. Les oiseaux panachés sont admis seulement dans les classes O7/O8 et O29/O30	<u>The Latin name is required.</u> frilled-feather silk birds are not accepted. Variagated birds are accepted only in classes O7/O8 and O29/O30		C A G E
	Geopelia cuneata, Géopélie diamant (Bagues 1/2 ans)	Geopelia cuneata, Diamond dove (1/2 years ringed)		
O-1	Geopelia cuneata (Géopélie diamant) Classique	Geopelia cuneata (Diamond dove). Classic phenotype.	O-2	O1
O-3	Geopelia cuneata (Géopélie diamant) mutations: Opale, Isabelle, Brune, Rouge	Geopelia cuneata (Diamond dove) mutations: Opal, Isabelle, Fawn, Red	O-4	O1
O-5	Geopelia cuneata (Géopélie diamant) mutation: Croupion blanc, Queue blanche	Geopelia cuneata (Diamond dove) mutation : white rump, white tail.	O-6	O1
O-7	Geopelia cuneata (Géopélie diamant): Autres mutations ou combinaison de mutations, y inclus les mutations panachés	Geopelia cuneata (Diamond dove): Other mutations or combination of mutations, including variegated mutations	O-8	O1
	Autres Géopélies (Bagues 1/2/3 ans)	Other Geopelia species (1/2/3 years ringed)		
O-9	Geopelia striata (Géopélie zébrée): Classique.	Geopelia striata (Zebra dove): Classic Phenotype.	O-10	O2
O-11	Geopelia placida (Géopélie placide): Classique.	Geopelia placida (Peaceful dove): Classic Phenotype	O-12	O2
O-13	Geopelia maugeus (Géopélie de Maugé): Classique	Geopelia maugeus (Barred dove): Classic Phenotype	O-14	O2
O-15	mutations des Geopelia (Géopélie) striata-Placida et maugéus 1 Geopelia striata (Géopélie zébrée): Mutation topaze - crème 2 Geopelia placida (Géopélie placide): Mutation Phaeo 3 Geopelia maugeus (Géopélie de Maugé): Mutation mélanisée	mutations of Geopelia striata-placida et maugéus 1 Geopelia striata (Zebra dove): Mutation topaz - cream 2 Geopelia placida (Peaceful dove): Mutation phaeo 3 Geopelia maugeus (Barred dove): Mutation melanised	O-16	O2
O-17	Geopelia humeralis (Géopélie à nuque rousse) Classique	Geopelia humeralis (Bar-shouldered dove) Classic phenotype.	O-18	O2
	Streptopelia risoria domestica, Tourterelle rieuse (Bagues 1/2 ans)	Streptopelia risoria domestica, African collared dove (1/2 years ringed)		
O-19	Streptopelia risoria « domestica » (Tourterelle rieuse): Classique	Streptopelia risoria domestica Classic Phenotype	O-20	O2
O-21	Streptopelia risoria domestica (Tourterelle rieuse): Mutation Pastel	Streptopelia risoria domestica Mutation Pastel	O-22	O2
O-23	Streptopelia risoria domestica (Tourterelle rieuse): Mutation Isabel and combinaison Isabel Pastel	Streptopelia risoria domestica Mutation Isabel and combination Isabel Pastel	O-24	O2
O-25	Streptopelia risoria domestica (Tourterelle rieuse) Mutation Tête blanche et combinaison Tête blanche Pastel	Streptopelia risoria domestica Mutation White head and combination Whitehead Pastel	O-26	O2
O-27	Streptopelia risoria domestica (Tourterelle rieuse) Mutation ivoire	Streptopelia risoria domestica Mutation ivory	O-28	O2
O-29	Streptopelia risoria domestica (Tourterelle rieuse) Mutation Grise et combinaison Grise pastel	Streptopelia risoria domestica Mutation Grey and combination Grey Pastel	O-30	O2
O-31	Streptopelia risoria domestica (Tourterelle rieuse) Mutation et combinaisons Phaeo facteur unique (Collier gris)	Streptopelia risoria domestica Mutation et combinaisons Phaeo facteur unique (Collier gris)	O-32	O2
O-33	Streptopelia risoria domestica (Tourterelle rieuse) Mutation et combinaisons Phaeo double facteur (collier blanc)	Streptopelia risoria domestica Mutation and combinations Double factor Phaeo (white collar)	O-34	O2
O-35	Streptopelia risoria domestica (Tourterelle rieuse) Mutations Blanche – Albino – Crémé ino (Satinet)	Streptopelia risoria domestica Mutations White – albino - Cremé ino (Satinet)	O-36	O2
O-37	Streptopelia risoria domestica (Tourterelle rieuse) Mutations Panachée – à toupet	Streptopelia risoria domestica Mutation variegated and Crest	O-38	O2
O-39	Streptopelia risoria domestica (Tourterelle rieuse) mutations ou Austre combinaison	Streptopelia risoria domestica Other mutations or combinations	O-40	O3
	Toetes les autres espèces de colombes et de pigeons (Bagues 1/2/3 ans)	All other doves and pigeons (1/2/3 years ringed)		
O-41	Streptopelia tranquebarica (Tourterelle à tête grise)	Streptopelia tranquebarica (Red collared dove)	O-42	
O-43	Streptopelia lugens (Tourterelle à poitrine rose) Streptopelia hypopyrrha (Tourterelle de l'Amadoua) Streptopelia turtur (Tourterelle des bois) Streptopelia orientalis (Tourterelle orientale) Streptopelia decipiens (Tourterelle pleureuse) Streptopelia vinacea (Tourterelle vineuse) Streptopelia capicola (Tourterelle du Cap) Streptopelia semitorquata (Tourterelle à collier) Streptopelia decaocto (Tourterelle turque) Streptopelia roseogrisea (Tourterelle rose et grise) Streptopelia reichenowi (Tourterelle de Reichenow) Streptopelia bitorquata (Tourterelle à double collier) Streptopelia dussumieri (Tourterelle des Philippines) Streptopelia xanthoclyta (Tourterelle Birmane)	Streptopelia lugens (Dusky turtle-dove) Streptopelia hypopyrrha (Adamawa turtle-dove) Streptopelia turtur (Eurasian collared dove) Streptopelia orientalis (Oriental turtle-dove) Streptopelia decipiens (Mourning Collared dove) Streptopelia vinacea (Vinaceous dove) Streptopelia capicola (Ring-necked dove) Streptopelia semitorquata (Red-eyed dove) Streptopelia decaocto (Eurasian collared-dove) Streptopelia roseogrisea (African collared-dove) Streptopelia reichenowi (White-winged collared-dove) Streptopelia bitorquata (Sunda collared-dove) Streptopelia dussumieri (Philippine collared dove) Streptopelia xanthoclyta (Burmese Collared Dove)	O-44	O3
O-45	Spilopelia senegalensis (Tourterelle maillée)	Spilopelia senegalensis (Laughing dove)	O-46	
O-47	Spilopelia chinensis (Tourterelle tigrine) (ssp chinensis, tigrina, suratensis)	Spilopelia chinensis (Spotted dove) (ssp chinensis, tigrina, suratensis)	O-48	O3
O-49	Zenaida macroura (tourterelle triste) Zenaida graysoni (tourterelle de Socorro) Zenaida auriculata (tourterelle oreillard) Zenaida aurita (tourterelle à queue carrée) Zenaida galapagoensis (tourterelle des Galapagos) Zenaida asiatica (tourterelle à ailes blanches) Zenaida meloda (tourterelle côtière)	Zenaida macroura (Mourning dove) Zenaida graysoni (Socorro dove) Zenaida auriculata (Eared dove) Zenaida aurita (Zenaida dove) Zenaida galapagoensis (Galapagos dove) Zenaida asiatica (White-winged dove) Zenaida meloda (West Peruvian Dove)	O-50	

O-51	<i>Oena capensis</i> (Tourtelette masquée) <i>Turtur tympanistria</i> (Tourtelette tambourine) <i>Turtur chalcospilos</i> (Tourtelette émeraude) <i>Turtur abyssinicus</i> (Tourtelette d'Abyssinie) <i>Turtur afer</i> (Tourtelette améthystine) <i>Turtur brehmeri</i> (Tourtelette demoiselle)	<i>Oena capensis</i> (Namaqua dove) <i>Turtur tympanistria</i> (Tambourine dove) <i>Turtur chalcospilos</i> (Emerald-spotted wood-dove) <i>Turtur abyssinicus</i> (Black-billed wood-dove) <i>Turtur afer</i> (Blue-spotted wood-dove) <i>Turtur brehmeri</i> (blue-headed wood-dove)	O-52	
O-53	Mutations des espèces des classes O-41 à O-52	Mutations of birds listed in classes O-41 to O-52	O-54	
O-55	<i>Columbina inca</i> (Colombe inca) <i>Columbina squammata</i> (Colombe écaillée) <i>Columbina picui</i> (Colombe picui) <i>Columbina passerina</i> (Colombe à queue noire) <i>Columbina minuta</i> (Colombe pygmée) <i>Columbina buckleyi</i> (Colombe de Buckley) <i>Columbina talpacoti</i> (Colombe rousse) <i>Columbina cruziana</i> (Colombe à bec jaune) <i>Columbina cyanocephala</i> (Colombe aux yeux bleus) <i>Metriopelia ceciliae</i> (Colombe de Cécile)	<i>Columbina inca</i> (Inca dove) <i>Columbina squammata</i> (Scaled dove) <i>Columbina picui</i> (Picui dove) <i>Columbina passerina</i> (Common ground-dove) <i>Columbina minuta</i> (Plain-breasted ground-dove) <i>Columbina buckleyi</i> (Ecuadorian ground-dove) <i>Columbina talpacoti</i> (Ruddy ground-dove) <i>Columbina cruziana</i> (Croaking ground-dove) <i>Columbina cyanocephala</i> (Blue-eyed ground-dove) <i>Metriopelia ceciliae</i> (Bare-faced ground-dove)	O-56	
O-57	<i>Metriopelia melanoptera</i> (Colombe à millesnoires) <i>Metriopelia morenoi</i> (Colombe de Moreno) <i>Metriopelia aymara</i> (Colombe aymara) <i>Claravis pretiosa</i> (Colombe bleutée) <i>Claravis geoffroyi</i> (Colombe de Geoffroy) <i>Claravis mondetoura</i> (Colombe mondetour) <i>Uropelia campestris</i> (Colombe à longue queue)	<i>Metriopelia melanoptera</i> (Black-winged ground-dove) <i>Metriopelia morenoi</i> (Moreno's ground-dove) <i>Metriopelia aymara</i> (Golden-spotted ground-dove) <i>Claravis pretiosa</i> (Blue ground-dove) <i>Paraclaravis geoffroyi</i> (Purple-winged ground-dove) <i>Paraclaravis mondetoura</i> (Maroon-chested ground-dove) <i>Uropelia campestris</i> (Long-tailed ground-dove)	O-58	
O-59	<i>Leptotila verreauxi</i> (Colombe de Verreaux) <i>Leptotila plumbeiceps</i> (Colombe à calotte grise) <i>Leptotrygon veraguensis</i> (Colombe de Veragua) <i>Zentrygon costaricensis</i> (Colombe de Costa Rica) <i>Geotrygon versicolor</i> (Colombe versicolore) <i>Geotrygon montana</i> (Colombe rouviolette) <i>Starnoenas cyanocephala</i> (Colombe à tête bleue)	<i>Leptotila verreauxi</i> (White-tipped dove) <i>Leptotila plumbeiceps</i> (Grey-headed dove) <i>Leptotrygon veraguensis</i> (Olive backed quail dove) <i>Zentrygon costaricensis</i> (Buff-fronted Quail dove) <i>Geotrygon versicolor</i> (Crested quail-dove) <i>Geotrygon montana</i> (Ruddy quail-dove) <i>Starnoenas cyanocephala</i> (Blue-headed quail-dove)	O-60	
O-61	<i>Gallinula luzonica</i> (Luzon bleeding-heart) <i>Gallinula criniger</i> (Mindanao bleeding-heart) <i>Gallinula tristigmata</i> (Suawesi Ground-dove) <i>Gallinula rufigula</i> (Cinnamon ground-dove) <i>Pampusana iobensis</i> (White-breasted ground-dove)	<i>Gallinula luzonica</i> (Luzon bleeding-heart) <i>Gallinula criniger</i> (Mindanao bleeding-heart) <i>Gallinula tristigmata</i> (Suawesi Ground-dove) <i>Gallinula rufigula</i> (Cinnamon ground-dove) <i>Pampusana iobensis</i> (White-breasted ground-dove)	O-62	
O-63	<i>Chalcophaps indica</i> (Colombine turvert) <i>Chalcophaps longirostris</i> (Colombine du Pacifique) <i>Chalcophaps stephani</i> (Colombine d'Etienne) <i>Ocyphaps lophotes</i> (Colombine longup) <i>Geophaps plumifera</i> (Colombine plumifère) <i>Henicophaps albifrons</i> (C. à front blanc) <i>Phaps chalcophaps</i> (Colombine lumachelle) <i>Phaps elegans</i> (Colombine élégante) <i>Phaps histrionica</i> (Colombine arlequin) <i>Petrophassa rufipennis</i> (Colombine rufipenne) <i>Petrophassa albinensis</i> (Colombine des rochers)	<i>Chalcophaps indica</i> (Common Emerald dove) <i>Chalcophaps longirostris</i> (Pacific Emerald Dove) <i>Chalcophaps stephani</i> (Stephan's Emeralds dove) <i>Ocyphaps lophotes</i> (Crested pigeon) <i>Geophaps plumifera</i> (Spinifex pigeon) <i>Henicophaps albifrons</i> (New Guinea Bronzewing) <i>Phaps chalcophaps</i> (Common bronzewing) <i>Phaps elegans</i> (Brush bronzewing) <i>Phaps histrionica</i> (Flock bronzewing) <i>Petrophassa rufipennis</i> (Chestnut-quilled rock-pigeon) <i>Petrophassa albinensis</i> (White-quilled rock-pigeon)	O-64	
O-65	Mutation des espèces des classes O-55 à O-64	Mutations of birds listed in classes O-53 till O-64	O-66	
O-67	<i>Nesoenas picturatus</i> (Pigeon de Madagascar) <i>Nesoenas mayeri</i> (Pigeon rose) <i>Leucosarcia melanoleuca</i> (Pigeon Wonga) <i>Aplopelia larvata</i> (Pigeon à masque blanc)	<i>Nesoenas picturatus</i> (Malagasy Turtle dove) <i>Nesoenas mayeri</i> (Pink Pigeon) <i>Leucosarcia melanoleuca</i> (Wonga pigeon) <i>Aplopelia larvata</i> (African Lemon dove)	O-68	
O-69	<i>Columba livia</i> (Pigeon biset) <i>Columba oenas</i> (Pigeon colombin) <i>Columba palumbus</i> (Pigeon ramier) <i>Columba trocaz</i> (Pigeon trocaz) (Madeira) <i>Columba bollii</i> (Pigeon de Bolle (îles Canaries)) <i>Columba iunoniae</i> (Pigeon des lauriers (îles Canaries))	<i>Columba livia</i> (Rock dove) <i>Columba oenas</i> (Rock dove) <i>Columba palumbus</i> (Common wood-pigeon) <i>Columba trocaz</i> (Madeira laurel-pigeon) <i>Columba bollii</i> (Dark-tailed laurel-pigeon) <i>Columba iunoniae</i> (White-tailed laurel—pigeon)	O-70	
O-71	<i>Columba guinea</i> (Pigeon roussard) <i>Columba arquatrix</i> (Pigeon rameron) <i>Columba pulchricollis</i> (Pigeon cendré) <i>Columba punicea</i> (Pigeon marron) <i>Columba vitiensis</i> (Pigeon à gorge blanche) <i>Columba leucomela</i> (Pigeon leucomèle) Et 20 autres <i>Patagioenas picazuro</i> (Pigeon Picozuro) <i>Patagioenas corensis</i> (Pigeon jounud) <i>Patagioenas oenops</i> (Pigeon du Pérou) <i>Patagioenas speciosa</i> (Pigeon ramiret) <i>Patagioenas maculosa</i> (Pigeon tigré) Et autres	<i>Columba guinea</i> (Speckled pigeon) <i>Columba arquatrix</i> (African olive-pigeon) <i>Columba pulchricollis</i> (Ashy wood-pigeon) <i>Columba punicea</i> (Pale-capped pigeon) <i>Columba vitiensis</i> (Metallic pigeon) <i>Columba leucomela</i> (White headed-pigeon) And 20 others <i>Patagioenas picazuro</i> (Picozuro Pigeon) <i>Patagioenas corensis</i> (Bare-eyed Pigeon) <i>Patagioenas oenops</i> (Maranon Pigeon) <i>Patagioenas speciosa</i> (Scaled Pigeon) <i>Patagioenas maculosa</i> (Spot winged Pigeon) And others	O-72	
O-73	Mutations des espèces des classes O-67 à O-72	Mutations of birds listed in classes O-67 to O-72	O-74	
O-75	Genus <i>Macropygia</i> – Reinwardtoena – Turacoena (Phasianelles) Genus <i>Treron</i> (Colombars) Genus <i>Ptilinopus</i> – Drepanoptila (Ptilopes) Genus <i>Dracula</i> (Carpophages) Genus: <i>Gymnophaps</i> (Carpophages) Genus <i>Hemiphaga</i> – Lopholaimus – Cryptophaps (Carpophages) Genus <i>Phapitreron</i> (Phapitrérons) Genus <i>Alectroenas</i> (Founingos) Genus <i>Goura</i> (Gouras) <i>Caloenas nicobarica</i> (Nicobar à camail) <i>Otidiphaps noble</i> (Otidiphaps nobilis) <i>Trugon terrestris</i> (Tugon terrestre) <i>Didunculus strigirostris</i> (Diduncule strigirostre)	Genus <i>Macropygia</i> – Reinwardtoena – Turacoena (Cuckoo Doves) Genus <i>Treron</i> (Green pigeons) Genus <i>Ptilinopus</i> – Drepanoptila (Fruit doves) Genus <i>Dracula</i> (Imperial Pigeons) Genus: <i>Gymnophaps</i> (Mountain pigeons) Genus <i>Hemiphaga</i> – Lopholaimus – Cryptophaps Pigeons) Genus <i>Phapitreron</i> (Brown Doves) Genus <i>Alectroenas</i> (Brown Doves) Genus <i>Goura</i> (Crowned Pigeons) <i>Caloenas nicobarica</i> (Nicobar Pigeon) Pheasant Pigeon (<i>Otidiphaps nobilis</i>) <i>Trugon terrestris</i> (Thick-Billed ground Pigeon) <i>Didunculus strigirostris</i> (Tooth-billed Pigeon)	O-76	

Stam 4 Stam of 4	Section O - Colombes et pigeons exotiques NOUVELLES MUTATIONS EN ÉTUDE	O Section - Exotic Doves and Pigeins NEW MUTATIONS IN STUDY	Individ. Single	
O-77	Nouvelles mutations en étude - (Pas de jugement, pas de médailles)	New mutations under study - (no judgement and no medals)	O 579	
	Remarques	Remarks		
	les listes d'espèces figurant en regard de chaque classe ne sont pas exhaustives. Elles correspondent aux espèces le plus souvent présentes en concours. Référence taxonomique des noms latins: international Ornithologist's Union (IOU) 2015)	The species listed in each class is not comprehensive. It regards the species most commonly entered in shows. Taxonomic reference establishelInternational Ornithologist's Union (IOU) 2015)		